

# Valley County Planning and Zoning Department

219 N. Main  
PO Box 1350  
Cascade, ID 83611  
www.co.valley.id.us  
cherrick@co.valley.id.us  
208-382-7115



## Excavation Permit

(Administrative Permit)

Valley County Code 9-4-3-4E

### TO BE COMPLETED BY THE PLANNING AND ZONING DEPARTMENT

FILE # \_\_\_\_\_ DATE \_\_\_\_\_  
ACCEPTED BY: \_\_\_\_\_ FEE: \$ 75.00  Check # \_\_\_\_\_ or  Cash  
CROSS REFERENCE FILE(S): \_\_\_\_\_ PROPOSED USE: \_\_\_\_\_  
DATE ISSUED: \_\_\_\_\_ Approved \_\_\_\_\_

**Ranch Ponds Or Water Retention Areas:** Construction of ranch ponds or water retention areas, that are over five feet (5') in depth and greater in area than one thousand (1,000) square feet, will require an excavation permit. Excavation permits can be issued by the administrator and will include the following information: start date, completion date within up to six (6) months, property description, size of pond, depth of pond, use of pond, plans for mitigating fugitive dust, revegetation plan to return the area surrounding the pond to natural conditions, intentions for stockpiling or removing excess material, and list of other permits obtained. The administrator may determine that a conditional use permit is required for an extractive industrial use. If neither a conditional use permit nor excavation permit is required, the dirt must, at a minimum, be spread or bermed and reseeded.

LOCATION (attach map): \_\_\_\_\_

PARCEL NUMBER: \_\_\_\_\_

PROPERTY OWNER(S): \_\_\_\_\_

EMAIL ADDRESS: \_\_\_\_\_ PHONE #: \_\_\_\_\_

SIZE OF POND: \_\_\_\_\_ DEPTH \_\_\_\_\_

USE OF POND: \_\_\_\_\_

PROPOSED START DATE: \_\_\_\_\_ COMPLETION DATE: \_\_\_\_\_

- Attach permit from Idaho Department of Water Resources**
- Attach permit from U.S. Corps of Engineers**
- Attach map**

Continued on Page 2

**1. What is your plan for mitigating fugitive dust?**

---

**2. What is your revegetation plan to return the area surrounding the pond to natural conditions?**

---

**3. What are your intentions for stockpiling or removing excess material?**